Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A compound of Formula (1):

wherein:

Cy is a group of Formula (2):

$$\begin{array}{c}
R_3 \\
R_4
\end{array}$$

$$\begin{array}{c}
R_2 \\
R_5
\end{array}$$

$$\begin{array}{c}
R_1 \\
R_5
\end{array}$$

C₃₋₇cycloalkyl-or-phenyl;

 R_1 , R_2 , R_3 , R_4 and R_5 are hydrogen, halogen, or hydroxy, amino, trifluoromethyl or nitrile and at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen, trifluoromethyl or nitrile;

R₆ is hydrogen, optionally substituted straightchained or branched C₁₋₃ alkyl, amino or hydroxy;

 R_7 is hydrogen, optionally substituted straightchained or branched C_{1-3} alkyl, substituted with one or more hydroxyl groups, or amino optionally substituted with one or

more of the same or different kinds of straight-chained or branched C₁₋₃ alkyl groups which many be the same or different, or hydroxy;

R₈ is hydrogen, methyl or ethyl;

R₉ is optionally substituted straight-chained or branched C₁₋₆ alkyl optionally substituted with one or more groups which may be the same or different and are selected from the group consisting of phenyl, para-hydroxyphenyl, para-fluorophenyl, para-chlorophenyl, C3-7 cycloalkyl, halogen and thienyl, optionally substituted straight-chained or branched C₂₋₆alkenyl, optionally substituted straight chained or branched chained C₂₋₆alkynyl, C₃₋₇cycloalkyl; or optionally substituted phenyl;

R₂₀ is hydrogen or straight-chained or branched

C_{1 3}alkyl or R₉ and R₂₀ may together form C_{3 7}cycloalkyl;


R₁₀ is hydrogen or methyl or ethyl straight chained or branched C₁₋₃alkyl;

R₁₁ is hydrogen, straight-chained or branched C₁₋₃ alkyl optionally substituted with one or more groups which may be the same or different and are selected from the group consisting of amino optionally substituted with one or more of the same or different straight chained or branched C₁₋₃ alkyl; 3 to 7-membered cyclic amino optionally substituted with hydroxyl, amino, carboxyl, carbamoyl or methyl; hydroxyl,

methoxy, halogen, carbamoyl, methanesulfonyl, ureide, guanidyl, N'-cyano-N"-methylguanidyl, sulfamoylamino, carbamoylmethylamino and methanesulfonylamino, and -CO-N(R_{14}) R_{15} , carboxyl;

R₁₂ is hydroxy or OR₁₆;

 R_{13} —is-hydrogen, straight-chained or branched C_{1-6} alkyl, straight-chained or branched C_{2-6} alkenyl, straight-chained or branched C_{2-6} alkynyl or a group of Formula (3):



 R_{14} and R_{15} , which may be the same or different, are each hydrogen, straight-chained or branched C_{1-3} alkyl optionally substituted with straight chained or branched C_{1-3} alkowy optionally substituted with hydroxyl, amino, carboxyl or carbamoyl; hydroxyl; amino; methylamino; dimethylamino; carbamoyl or methanesulfonyl; optionally substituted straight-chained or branched C_{1-4} alkyl, C_{3-7} cycloalkyl, straight-chained or branched C_{1-4} alkoxy, straight-chained or branched C_{1-4} alkoxy, straight-chained or branched C_{1-4} alkylsulfonyl, or pyridyl; a heterocyclic ring;

R₁₆ is straight chained C₁₋₄ alkyl;
R₁₇ is hydrogen or methyl;

 $$R_{18}$$ and $$R_{19}$$ together form cycloalkyl or $$C_{3\text{--}7}$$ cycloalkenyl;

X is carbonyl or methylene;
Y is carbonyl or methylene;
or a pharmaceutically acceptable salt thereof.

2. (Previously presented) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2); or a pharmaceutically acceptable salt thereof.

 (Previously presented) The compound according to claim 1,

wherein Cy in Formula (1) is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen and the others are hydrogen or hydroxy;

or a pharmaceutically acceptable salt thereof.

4. (Previously presented) The compound according to claim 1,

wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is halogen or R_2 and R_3 are the same kind of halogen; or a pharmaceutically acceptable salt thereof.

5. (Previously presented) The compound according to claim 1,

wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is halogen and R_1 , R_2 , R_4 and R_5 are hydrogen, or R_2 and R_3 are the same kind of halogen and R_1 , R_4 and R_5 are hydrogen; or a pharmaceutically acceptable salt thereof.

Claims 6-13. (Canceled)

- 14. (Previously presented) The compound according to claim 1, wherein R_7 in Formula (1) is hydrogen or amino optionally substituted with one or more of the same of different kinds of straight-chained or branched C_{1-3} alkyl; or a pharmaceutically acceptable salt thereof.
- 15. (Previously presented) The compound according to claim 1, wherein R_{θ} in Formula (1) is hydrogen or methyl; or a pharmaceutically acceptable salt thereof.
- 16. (Previously presented) The compound according to claim 1, wherein R₉ in Formula (1) is methyl, isopropyl, isobutyl, sec-butyl, tert-butyl, 3-pentyl, neopentyl, cyclohexyl, phenyl, benzyl, para-hydroxybenzyl, cyclohexylmethyl or para-fluorobenzyl; or a pharmaceutically acceptable salt thereof.

Claims 17-18. (Cancelled)

19. (Currently Amended) The compound according to claim 1, wherein R_{11} in Formula (1) is methyl, hydroxymethyl,

carbamoylmethyl, methanesulfonylmethyl, ureidemethyl, sulfamoylaminomethyl, methanesulfonylaminomethyl, carbamoyl, ethylcarbamoyl, n-propylcarbamoyl, isopropylcarbamoyl, cyclopropylcarbamoyl, tertbutylcarbamoyl, methoxycarbamoyl, methylcarbamoyl, methylcarbamoyl, methylcarbamoyl, methoxymethylcarbamoyl,; or a pharmaceutically acceptable salt thereof.

Claim 20 Cancelled

- 21. (Currently Amended) The compound according to claim 1, wherein R_{13} in Formula (1) is isopropyl, tert-butyl (tBu), or 1,1-dimethylpropyl-or-1,1-dimethyl-2-propenyl; or a hydrate-or-pharmaceutically acceptable salt thereof.
- 22. (Currently Amended) The compound according to claim 1, wherein in Formula (1) Cy is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen and the others are hydrogen or hydroxy; $R_6 \text{ is hydrogen or methyl};$ $R_7 \text{ is hydrogen or optionally substituted amino optionally}$

R₂ is hydrogen or optionally substituted amino optionally substituted with one or more of the same or different straight chained or branched C₁₋₃ alkyl;

R₈ is hydrogen or methyl;

R₉ is methyl, isopropyl, isobutyl, sec-butyl, tert-butyl, 3-pentyl, neopentyl, cyclohexyl, phenyl, benzyl, para-hydroxybenzyl, para-fluorobenzyl or cyclohexylmethyl;

R₂₀ is hydrogen;

R₁₀ is hydrogen or methyl;

R₁₁ is methyl, hydroxymethyl, carbamoylmethyl,
methanesulfonylmethyl, ureidemethyl, sulfamoylaminomethyl,
methanesulfonylaminomethyl, carbamoyl, methylcarbamoyl,
ethylcarbamoyl, n-propylcarbamoyl, isopropylcarbamoyl, , tert
cyclopropylcarbamoyl -butylcarbamoyl,

methanesulfonylmethylcarbamoyl, methoxymethylcarbamoyl, or methoxycarbamoyl;

R₁₂-is hydroxy;

 R_{13} is isopropyl, tert-butyl (tBu), 1,1-dimethylpropyl—or 1,1-dimethyl-2-propenyl;

or a pharmaceutically acceptable salt thereof.

23. (Previously presented) The compound according to claim 1 which is selected from the group of compounds consisting of Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(4-Cl)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(3,4-F₂)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(3-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHOMe, $2-((2-a\min o-3-(4-fluorophenyl)))$ Propionyl)-N-methylamino)-3-methylbutyric acid 2-(3-tertbutyl-4-hydroxyphenyl)-1-(2-

```
pyridylcarbamoyl)ethylamide, N-(2-(2-((2-amino-3-(4-
fluorophenyl)propionyl)-N-methylamino)-3-methyl-butyrylamino)-
3-(3-tBu-4-hydroxyphenyl)propyl)urea, N-(2-(2-(2-amino-3-(4-
fluorophenylpropanoyl-N-methylamino)-3-methyl)butyrylamino)-3-
(3-tertbutyl-4-hydroxyphenyl)propyl)sulfamide, N-[2-(3-
tertbutyl-4-hydroxyphenyl)-1-
(methanesulfonylaminomethyl) ethyl] -2-[N-(4-
fluorophenylalanyloyl)methylamino]-3-methylbutanamide, 2-((2-
amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3-
methylbutyric acid 2-(3-t-butyl-4-hydroxyphenyl)-1-
carbamidemethylethylamide, 2-((2-amino-3-(4-
fluorophenyl)propionyl)-N-methylamino)-3-methylbutyric acid 2-
(3-t-butyl-4-hydroxyphenyl)-1-methanesulfonylmethylethylamide,
2-(2-((2-amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3-
methyl-butyrylamino)-3-(3-tBu-4-hydroxyphenyl)propanol, 2-(1-
(2-((2-amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3-
methyl-butyrylamino) -2-(3-tertbutyl-4-hydroxyphenyl)ethyl) -6-
methyl-4-pyrimidinone, 2-((2-amino-3-(4-
fluorophenyl)propionyl)-N-methylamino)-3-methylbutyric acid 2-
(3-t-butyl-4-hydroxyphenyl)-1-(1,3,4-oxadiazol-2-
yl)ethylamide, 2-((2-amino-3-(4-fluorophenyl)propionyl)-N-
methylamino) - 3-methylbutyric acid 2-(3-t-butyl-4-
hydroxyphenyl)-1-(1,2,4-oxadiazol-5-yl)ethylamide, 2-((2-
amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3-
```

methylbutyric acid 2-(3-tertbutyl-4-hydroxyphenyl)-1-(thiazol-2-yl)ethylamide, 2-((2-amino-3-(4-fluorophenyl)propionyl)-Nmethylamino) - 3-methylbutyric acid 2-(3-t-butyl-4hydroxyphenyl)-1-(1,3,4-triazol-2-yl)ethylamide, Tyr(2-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH2, Tyr(3-F)-N-Me-Val-N-Me-Tyr(3-tBu)- NH_2 , Phe(4-F)-N-Me-Val-Tyr(3-tBu)- NH_2 , N-Me-Phe(4-F)-N-Me-Val- $Tyr(3-tBu)-NH_2$, $N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NH_2$, Phe(4-F)-N-Me-Val-Tyr(3-tBu)F)-N-Me-Val-Tyr(3-tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val-Tyr(3tBu)-NHMe, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, N-Et-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHMe, N-Me-Phe (4-F) -N-Me-Val-N-Me-Tyr(3-tBu) -NHMe, N-Et-Phe (4-F) -N-Me-Val-N-Me-Tyr(3-tBu)-NHMe, Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)- NH_2 , N-Me-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NH₂, <math>N-Et-Phe(4-F)- $N-Me-Val-N-Et-Tyr(3-tBu)-NH_2$, Phe(4-F)-N-Me-Val-N-Et-Tyr(3tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val- N-Et-Tyr(3-tBu)-NHMe, N-Et-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHMe, Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHtBu, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)- $NHCH_2SO_2CH_3$, Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHEt, N-Me-Phe(4-F)-Me-Val-Tyr(3-tBu)N-Me-Val-Tyr(3-tBu)-NHEt, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHEt, Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHCH2OH, N-Me-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHCH2OH, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)- $NHCH_2OH$, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHEt, N-Me-Phe(4-F)F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHEt, N-Et-Phe(4-F)-N-Me-Val-N-Me-

Tyr(3-tBu) - NHEt, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH₂OH,

N-Me-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH₂OH, N-Et-Phe(4-F)
N-Me-Val-N-Me-Tyr(3-tBu)-NHCH₂OH, Phe(4-F)-N-Me-Val-N-Et
Tyr(3-tBu)-NHEt, N-Me-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHEt,

N-Et-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHEt, Phe(4-F)-N-Me
Val-N-Et-Tyr(3-tBu)-NHCH₂OH, N-Me-Phe(4-F)-N-Me-Val-N-Et
Tyr(3-tBu)-NHCH₂OH, N-Et-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)
NHCH₂OH, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCPr, and Phe(4-F)-N-Me-Val-Tyr(3-tBu)
NHCH₂OH, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCPr, and Phe(4-F)-N-Me-Val-Tyr(3-tBu)
NHiPr;

or a pharmaceutically acceptable salt thereof.

- 24. (Previously Presented) A pharmaceutical composition containing an effective amount of the compound according to claim 1 as an active ingredient and an inert pharmaceutically acceptable carrier.
- 25. (Previously Presented) A motilin receptor antagonist composition containing an effective amount of the compound according to claim 1 and an inert pharmaceutically acceptable carrier.

Claims 26-27. (Cancelled)

28. (Currently Amended) A compound of Formula (4):

wherein

Cy, R_6 , R_8 , R_9 , R_{20} , R_{10} , R_{12} , R_{13} , X and Y are as defined in claim 1;

R₇' is hydrogen, straight-chained or branched C₁.

3alkyl substituted with one or more optionally having at least one protected hydroxyl groups substituent, or protected amino optionally substituted with having at least one or more substituent of the same or different straight-chained or branched C₁₋₃ alkyl groups which may be the same or different or protected hydroxyl; and

alkyl optionally substituted with one or more groups which may be the same or different and are selected from the group consisting of amino-optionally substituted with one or more of the same of different straight-chained or branched C₁₋₃ alkyl;

3 to 7-membered cyclic amino optionally substituted with hydroxyl, amino, carboxyl, carbamoyl or methyl; hydroxyl; methoxy; halogen; carbamoyl-, methanesulfonyl-, ureide-, guanidyl-, N'-cyano-N"-methylguanidyl-, sulfamoylamino-, and -CO-

 $N(R_{14})R_{15}$, wherein R_{14} and R_{15} are as defined in claim 1, carboxyl, straight chained or branched C_{1-3} alkyl having a protected amino;

or a pharmaceutically acceptable salt thereof.

29. (Currently Amended) A compound of Formula (5):

$$\begin{array}{c|c}
Cy & R_6 & R_8 & R_{12} \\
R_7" & X & N & R_{20} & R_9 & R_{10}
\end{array}$$
(5)

wherein:

Cy, R_6 , R_8 , R_9 , R_{20} , R_{10} , R_{12} , R_{13} , X and Y are as defined in claim 1;

R₇" is hydrogen, straight-chained or branched C₁.

3alkyl optionally having at least optionally substituted with one or more optionally protected hydroxyl groups substituent or amino optionally having at least substituted with one or more substituents which are the same or different straight-chained or branched C₁₋₃ alkyl groups which may be the same or different, or optionally protected hydroxy; and

 R_{11}' is hydrogen, straight-chained or branched C_1 . $_3$ alkyl optionally substituted with one or more groups having at least one protected substituent s which may be the same or different and are selected from the group consisting of protected amino optionally substituted with one or more

straights chained or branched C_1 , alkyl; protected 3 to 7 membered cyclic amino optionally substituted with protected hydroxyl, protected amino, protected carboxyl or protected carbamoyl; protected hydroxyl; protected carbamoyl; protected hydroxyl; protected carbamoyl; protected guanidyl; protected N'-cyano-N"-methylguanidyl; protected sulfamoylamino; protected carbamoylmethylamino and protected methanesulfonylamino; and -CO-N(R_{14}) R_{15} wherein R_{14} and R_{15} are as—those defined in claim 1 which are appropriately protected, carboxyl or a hydrate or—pharmaceutically acceptable salt thereof.

30. (Currently Amended) A compound of Formula (6):

$$\begin{array}{c|c}
R_{12} \\
R_{13} \\
R_{20} \\
R_{9} \\
R_{10}
\end{array}$$
(6)

wherein:

 R_8 is hydrogen, <u>methyl or ethyl-optionally</u>

substituted straight chained or branched C_{1-3} alkyl, optionally substituted amino, or hydroxy;

R₉, is optionally substituted straight-chained or branched C₁₋₆ alkyl optionally substituted with one or more groups which may be the same or different ant are selected from the group consisting of phenyl, para-hydroxyphenyl, para-fluorophenyl, para-chlorophenyl, C₃₋₇ cycloalkyl, halogen and

thienyl, optionally substituted straight-chained or branched

C2 6 alkenyl, optionally substituted straight-chained or

branched C2 6 alkynyl, C3 7 eyeloalkyl or optionally substituted

phenyl;

 R_{20} is hydrogen or <u>methyl or straight chained or branched C_{1-3} alkyl; or R_{9} and R_{20} may together form C_{3-7} cycloalkyl;</u>

 R_{10} is hydrogen or <u>methyl or ethyl-straight-chain or branched C_{1-3} alkyl;</u>

R₁₂ is hydroxy—or—OR₁₆;

 R_{13} is hydrogen, straight-chained or branched C_{1-6} alkyl, straight-chained or branched C_{2-6} alkenyl, straight-chained or branched C_{2-6} alkynyl or a group of Formula (3)

Wherein R₁₇ is hydrogen or methyl;

 R_{18} and R_{19} together form cycloalkenyl or C_{3-7} cycloalkenyl; and

Y is carbonyl-or-methylene;

 P_1 is hydrogen or a protecting group of amine; and $R_{11}{}^{\prime\prime}{}^{\prime\prime}$ is hydrogen, straight-chained or branched C_{1-3} alkyl, carboxyl, straight-chained or branched C_{1-3} alkyl optionally substituted with one or more groups which may be the same or different and are selected from the group consisting of amino

optionally substituted with one or more of the same or different straight chained or branched C1 3 alkyl; 3 to 7 membered cyclic amino optionally substituted with hydroxyl, amino; carboxyl, carbamoyl or methyl; hydroxyl; methoxy; halogen+, carbamoyl+, methanesulfonyl+, ureide+, guanidyl+, N'-cyano-N"-methylguanidyl+, sulfamoylamino+, carbamoylmethylamino and methanesulfonylamino; earboxyl, straight-chained or branched C1-3 alkyl having protected amino or an optionally substituted heterocyclic ring, or and -CO- $N(R_{14})R_{15}$ wherein R_{14} and R_{15} , which may be the same or different, are hydrogen, optionally substituted straightchained or branched C_{1-4} alkyl optionally substituted with hydroxy, C₃₋₇ cycloalkyl, straight-chained or branched C₁₋₄ alkoxy, straight-chained or branched C1-4alkylsulfonyl, or pyridyl a heterocyclic ring, carboxyl, straight chained or branched C1 alkyl having protected amino or an optionally substituted heterocyclic ring;

or a pharmaceutically acceptable salt thereof.

Claims 31-34. (Canceled)

35. (Previously Presented) The compound according to claim 1, wherein the substitution of the optionally substituted straight-chained or branched C_{1-3} alkyl as R_7 in formula (1) is halogen, hydroxyl or amino.